

LED DRIVER 350mA 2X12W IP20 1-10V/IMP



EL-produkter as

EL-NR: 32 075 78

Generelt:

LED driver for konstant strøm (350mA).

Dimbar med 1-10V og impuls. To utganger à 12W, maks belastning 2x12W. Doble hurtigkoblinger på primær- og sekundærside.

Gjennomkopling på primærside/ impuls/ jording/ 1-10V signal.

Ved bruk av kabel med 1,5mm² tverrsnitt kan total sløyfeligde ut fra sekundærside på driver være 30 meter

Tilkobling:

Doble hurtigklemmer - 0,75-2,0mm².




SPESIFIKASJONER		
Input	Mains voltage	220-240Vac, 50/60Hz
	Power factor (PF)	≥0.9 (@ 240Vac input, full load and without dimmer)
	Efficiency	≥85% (@ 240Vac input, full load and without dimmer)
	Stand-by power	≤1.0W
Output	Output Voltage (No-load)	45V DC Max
	Output current	350mA (3-35V)
	Voltage accuracy	±5%
	Output power	2x12W Max.
	Dimming mode	1-10v & push dimming
	Dimming	1%-100% (1-10v dimming)
Environ- ment	Working temperature	-25°C ~ 50°C
	Storage temperature	-40°C ~ 85°C
	Insulation class	Class II, SELV
	IP rating	IP 20, indoor use only
Safety and EMC	Withstand voltage	Input- Output: 3.75kVac/5mA/1min
	EMC	Compliance to EN55015, EN61000 - 3-2 Class C, EN61000 -3-3, EN61547
	Safety	Compliance to EN61347-1, EN61347-2-13, EN60598-1, EN60598-2-6
Protection	Short circuit	Protection mode: Auto recovery
	Lifetime	50,000H
	Dimension	150 x 52 x 28mm

LED DRIVER 350mA 2X12W IP20 1-10V/IMP




EL-produkter as

MÅLSKISSE



KOBLINGSSKJEMA

1-10V



LED DRIVER 350mA 2X12W IP20 1-10V/IMP



EL-produkter as

IMPULS

